



Tubix / Dory

Description :

Waterproof tubular LED strip light


Uses :

Supermarkets, shops, bathrooms, assembly halls, etc...

Product informations :

LED driver included / Opal polycarbonate and steel / CRI > 80
Metal end cap and metal bracket: Stainless Steel 316L

Dimensions :



Wattage, luminous flux and performance (for 1,50 m) :

	Length	Flux	Wattage	Performance	Lamp life
4000°K	600mm (option)	2400 Lm	20 W	120 Lm/W	76 000 hours L70 B10
4000°K	900mm (option)	3600 Lm	30 W	120 Lm/W	76 000 hours L70 B10
4000°K	1200mm (option)	4320 Lm	36 W	120 Lm/W	76 000 hours L70 B10
4000°K	1500mm	5760 Lm	48 W	120 Lm/W	76 000 hours L70 B10



Suspended waterproof tubular LED strip light DORY...

Connection :

Waterproof quick connector / Intermediate modules for connection (plugs supplied for individual modules)

Mountings :

Choice of cable mounting (see «cable mounting» sheet) / metal bracelets for direct fixation

Finishes :

White (9016G) / Grey (9006G) / Black (9005G) / RAL colour chart

(Operating temperature -20°C / +40°C)

Not contractual document





*Tubular LED strip TUBIX
suspended in room...*