

Nova



**Description :**


Customizable ornamental suspension E27 LED or LED

**Uses :**

Supermarkets, shops, offices, etc....

**Product informations :**

Material : painted steel

**Dimensions :****Wattage, luminous flux and performance ( See IMAGIN custom book ) :**

	Flux	Wattage	Performance	Lamp life
E27 LED «GOLD» COLLECTION	-	Max 100W	-	-
E27 LED «TRANSLUCENT GLOBE» COLLECTION	-	Max 100W	-	-
E27 LED «FROSTED GLOBE» COLLECTION	-	Max 100W	-	-
LED Standard light sources	Flux	Wattage	Performance	Lamp life
3000°K 2000 Lm	2688 Lm	17,3 W	155 Lm/W	50 000 hours L80 B10
3000°K 3000 Lm	3402 Lm	24,8 W	137 Lm/W	50 000 hours L80 B20
3000°K 4000 Lm	4651 Lm	31,5 W	148 Lm/W	50 000 hours L80 B20
3000°K 5000 Lm	5222 Lm	37,1 W	141 Lm/W	50 000 hours L80 B20
3000°K 6000 Lm	6313 Lm	41,5 W	152 Lm/W	50 000 hours L80 B10
4000°K 2000 Lm	2098 Lm	11,7 W	179 Lm/W	50 000 hours L80 B10
4000°K 3000 Lm	3515 Lm	22,7 W	155 Lm/W	50 000 hours L80 B20
4000°K 4000 Lm	4453 Lm	27,6 W	161 Lm/W	50 000 hours L80 B20
4000°K 5000 Lm	5433 Lm	37,1 W	146 Lm/W	50 000 hours L80 B20
4000°K 6000 Lm	6607 Lm	41,7 W	158 Lm/W	50 000 hours L80 B10
5000°K 2000 Lm	2118 Lm	11,7 W	181 Lm/W	50 000 hours L80 B10
5000°K 3000 Lm	3548 Lm	22,7 W	156 Lm/W	50 000 hours L80 B20
5000°K 4000 Lm	4453 Lm	27,6 W	161 Lm/W	50 000 hours L80 B20
5000°K 5000 Lm	5433 Lm	37,1 W	146 Lm/W	50 000 hours L80 B20
5000°K 6000 Lm	6607 Lm	41,7 W	158 Lm/W	50 000 hours L80 B10
LED Specific colours	Flux	Wattage	Performance	Lamp life
Food	2248 Lm (equal to 4000 lm + food filter)	32,2 W	71 Lm/W	55000 hours L80 F50
Bakery	2341 Lm (equal to 4000 lm + bakery filter)	32,2 W	74 Lm/W	55000 hours L80 F50
Seafood	2225 Lm (equal to 4000 lm + food filter)	32,2 W	70 Lm/W	55000 hours L80 F50
Shop	3378 Lm	32,2 W	106 Lm/W	55000 hours L80 F10
Fish	4331 Lm	35,7 W	121 Lm/W	50000 hours L80 B20

**Filters :**

For standard light sources : Standard / food / bakery / opaline ( for better back-lighting )

**Mountings :**


See IMAGIN custom book : Choice of cable mounting / Surface hook mounted / triple circuit rail adaptor

**Internal finishes and external finishes :**

White (9016G) / Grey (9006G) / Black (9005G) / RAL colour chart

**Accessories :**

See IMAGIN custom book : Wire pass / Socket

**Light distribution curves :**

( $T_a < 35^{\circ}\text{C}$ )

Not contractual document



Ornamental suspension Nova...



*Customizable ornamental suspensions SOPHIA...*



*Customizable ornamental suspension NOVA...*

